

Action:

Actions::Pulp3::Repository::Sync

Input:

```
{"repo_id"=>3,
 "smart_proxy_id"=>1,
 "options"=>{"source_url"=>nil},
 "remote_user"=>"admin",
 "remote_cp_user"=>"admin",
 "current_request_id"=>nil,
 "current_timezone"=>"Europe/Berlin",
 "current_user_id"=>4,
 "current_organization_id"=>1,
 "current_location_id"=>2}
```

Output:

```
{"pulp_tasks"=>
 [{"pulp_href"=>"/pulp/api/v3/tasks/1f767791-cf81-4d16-9e4d-e648e3c763b5/",
  "pulp_created"=>"2020-11-04T08:02:09.420+00:00",
  "state"=>"failed",
  "name"=>"pulp_rpm.app.tasks.synchronizing.synchronize",
  "started_at"=>"2020-11-04T08:02:09.518+00:00",
  "finished_at"=>"2020-11-04T08:09:12.135+00:00",
  "error"=>
  {"traceback"=>
   " File \"/usr/lib/python3.6/site-packages/rq/worker.py\", line 936, in perform_job\n" +
   "   rv = job.perform()\n" +
   " File \"/usr/lib/python3.6/site-packages/rq/job.py\", line 684, in perform\n" +
   "   self._result = self._execute()\n" +
   " File \"/usr/lib/python3.6/site-packages/rq/job.py\", line 690, in _execute\n" +
   "   return self.func(*self.args, **self.kwargs)\n" +
   " File \"/usr/lib/python3.6/site-packages/pulp_rpm/app/tasks/synchronizing.py\", line 266, in synchronize\n" +
   "   dv.create()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/declarative_version.py\", line 148, in create\n" +
   "   loop.run_until_complete(pipeline)\n" +
   " File \"/usr/lib64/python3.6/asyncio/base_events.py\", line 484, in run_until_complete\n" +
   "   return future.result()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/api.py\", line 225, in create_pipeline\n" +
   "   await asyncio.gather(*futures)\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/api.py\", line 43, in __call__\n" +
   "   await self.run()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/content_stages.py\", line 105, in run\n" +
   "   d_content.content.q()\n" +
   " File \"/usr/lib/python3.6/site-packages/django/db/models/manager.py\", line 82, in manager_method\n" +
   "   return getattr(self.get_queryset(), name)(*args, **kwargs)\n" +
   " File \"/usr/lib/python3.6/site-packages/django/db/models/query.py\", line 408, in get\n" +
   "   self.model._meta.object_name",
   "description"=>"Package matching query does not exist."},
 "worker"=>"/pulp/api/v3/workers/1a78ccf4-7ff4-4043-a1da-3dfe9c5aba0c/",
 "child_tasks"=>[],
 "progress_reports"=>
 [{"message"=>"Downloading Metadata Files",
  "code"=>"downloading.metadata",
  "state"=>"canceled",
  "done"=>5},
 {"message"=>"Downloading Artifacts",
  "code"=>"downloading.artifacts",
  "state"=>"canceled",
  "done"=>1736},
 {"message"=>"Associating Content",
  "code"=>"associating.content",
  "state"=>"canceled",
  "done"=>5999},
 {"message"=>"Un-Associating Content",
  "code"=>"unassociating.content",
  "state"=>"canceled",
  "done"=>0},
 {"message"=>"Parsed Comps",
  "code"=>"parsing.comps",
  "state"=>"completed",
  "total"=>96,
  "done"=>96},
 {"message"=>"Parsed Advisories",
  "code"=>"parsing.advisories",
  "state"=>"completed",
  "total"=>4746,
  "done"=>4746},
 {"message"=>"Parsed Packages",
  "code"=>"parsing.packages",
  "state"=>"canceled",
  "total"=>20929,
  "done"=>4005}],
 "created_resources"=>[]},
 "create_version"=>true,
 "task_groups"=>[],
 "poll_attempts"=>{"total"=>47, "failed"=>1}}
```

Exception:

Katello::Errors::Pulp3Error: Package matching query does not exist.


```
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq.rb:37:in `block in <module:Sidekiq>'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:132:in `block (4 levels) in dispatch'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:250:in `stats'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:127:in `block (3 levels) in dispatch'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/job_logger.rb:8:in `call'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:126:in `block (2 levels) in dispatch'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/job_retry.rb:74:in `global'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:125:in `block in dispatch'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/logging.rb:48:in `with_context'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/logging.rb:42:in `with_job_hash_context'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:124:in `dispatch'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:163:in `process'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:83:in `process_one'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/processor.rb:71:in `run'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/util.rb:16:in `watchdog'
/opt/theforeman/tfm/root/usr/share/gems/gems/sidekiq-5.2.7/lib/sidekiq/util.rb:25:in `block in safe_thread'
/opt/theforeman/tfm/root/usr/share/gems/gems/logging-2.2.2/lib/logging/daemon_context.rb:474:in `block in create_with_logging_context'
```

Action:

Actions::Pulp3::Repository::Sync

Input:

```
{"repo_id">3,
 "smart_proxy_id">1,
 "options">{"source_url">nil},
 "remote_user">"admin",
 "remote_cp_user">"admin",
 "current_request_id">nil,
 "current_timezone">"Europe/Berlin",
 "current_user_id">4,
 "current_organization_id">1,
 "current_location_id">2}
```

Output:

```
{"pulp_tasks">
 [{"pulp_href">"/pulp/api/v3/tasks/1f767791-cf81-4d16-9e4d-e648e3c763b5/",
  "pulp_created">"2020-11-04T08:02:09.420+00:00",
  "state">"failed",
  "name">"pulp_rpm.app.tasks.synchronizing.synchronize",
  "started_at">"2020-11-04T08:02:09.518+00:00",
  "finished_at">"2020-11-04T08:09:12.135+00:00",
  "error">
  {"traceback">
   " File \"/usr/lib/python3.6/site-packages/rq/worker.py", line 936, in perform_job\n" +
   "   rv = job.perform()\n" +
   " File \"/usr/lib/python3.6/site-packages/rq/job.py", line 684, in perform\n" +
   "   self._result = self._execute()\n" +
   " File \"/usr/lib/python3.6/site-packages/rq/job.py", line 690, in _execute\n" +
   "   return self.func(*self.args, **self.kwargs)\n" +
   " File \"/usr/lib/python3.6/site-packages/pulp_rpm/app/tasks/synchronizing.py", line 266, in synchronize\n" +
   "   dv.create()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/declarative_version.py", line 148, in create\n" +
   "   loop.run_until_complete(pipeline)\n" +
   " File \"/usr/lib64/python3.6/asyncio/base_events.py", line 484, in run_until_complete\n" +
   "   return future.result()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/api.py", line 225, in create_pipeline\n" +
   "   await asyncio.gather(*futures)\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/api.py", line 43, in __call__\n" +
   "   await self.run()\n" +
   " File \"/usr/lib/python3.6/site-packages/pulpcore/plugin/stages/content_stages.py", line 105, in run\n" +
   "   d_content.content.q()\n" +
   " File \"/usr/lib/python3.6/site-packages/django/db/models/manager.py", line 82, in manager_method\n" +
   "   return getattr(self.get_queryset(), name)(*args, **kwargs)\n" +
   " File \"/usr/lib/python3.6/site-packages/django/db/models/query.py", line 408, in get\n" +
   "   self.model._meta.object_name\n",
  "description">"Package matching query does not exist."},
 "worker">"/pulp/api/v3/workers/1a78ccf4-7ff4-4043-a1da-3dfe9c5aba0c/",
 "child_tasks">[],
 "progress_reports">
 [{"message">"Downloading Metadata Files",
  "code">"downloading.metadata",
  "state">"canceled",
  "done">5},
 {"message">"Downloading Artifacts",
  "code">"downloading.artifacts",
  "state">"canceled",
  "done">1736},
 {"message">"Associating Content",
  "code">"associating.content",
  "state">"canceled",
  "done">5999},
 {"message">"Un-Associating Content",
  "code">"unassociating.content",
  "state">"canceled",
  "done">0},
 {"message">"Parsed Comps",
  "code">"parsing.comps",
  "state">"completed",
  "total">96,
  "done">96},
```

```
    {"message"=>"Parsed Advisories",
      "code"=>"parsing.advisories",
      "state"=>"completed",
      "total"=>4746,
      "done"=>4746},
    {"message"=>"Parsed Packages",
      "code"=>"parsing.packages",
      "state"=>"canceled",
      "total"=>20929,
      "done"=>4005}},
    "created_resources"=>[]}},
  "create_version"=>true,
  "task_groups"=>[],
  "poll_attempts"=>{"total"=>47, "failed"=>1}}
```

Action:

Actions::Pulp3::Repository::SaveVersion

Input:

```
{"repository_id"=>3,
 "tasks"=>Step(4).output[:pulp_tasks],
 "repository_details"=>nil,
 "force_fetch_version"=>nil,
 "remote_user"=>"admin",
 "remote_cp_user"=>"admin",
 "current_request_id"=>nil,
 "current_timezone"=>"Europe/Berlin",
 "current_user_id"=>4,
 "current_organization_id"=>1,
 "current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Pulp3::Repository::CreatePublication

Input:

```
{"repository_id"=>3,
 "smart_proxy_id"=>1,
 "contents_changed"=>Step(7).output[:contents_changed],
 "options"=>{"contents_changed"=>Step(7).output[:contents_changed]},
 "remote_user"=>"admin",
 "remote_cp_user"=>"admin",
 "current_request_id"=>nil,
 "current_timezone"=>"Europe/Berlin",
 "current_user_id"=>4,
 "current_organization_id"=>1,
 "current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Pulp3::Repository::SavePublication

Input:

```
{"repository_id"=>3,
 "tasks"=>Step(10).output,
 "contents_changed"=>Step(7).output[:contents_changed],
 "remote_user"=>"admin",
 "remote_cp_user"=>"admin",
 "current_request_id"=>nil,
 "current_timezone"=>"Europe/Berlin",
 "current_user_id"=>4,
 "current_organization_id"=>1,
 "current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Pulp3::Repository::SaveDistributionReferences

Input:

```
{"repository_id"=>3,
 "smart_proxy_id"=>1,
 "tasks"=>Step(14).output,
 "contents_changed"=>Step(7).output[:contents_changed],
 "remote_user"=>"admin",
 "remote_cp_user"=>"admin",
 "current_request_id"=>nil,
 "current_timezone"=>"Europe/Berlin",
 "current_user_id"=>4,
```

```
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Pulp3::Orchestration::Repository::Sync

Input:

```
{"subaction_output"=>Step(7).output,  
"remote_user"=>"admin",  
"remote_cp_user"=>"admin",  
"current_request_id"=>nil,  
"current_timezone"=>"Europe/Berlin",  
"current_user_id"=>4,  
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Katello::Repository::IndexContent

Input:

```
{"id"=>3,  
"contents_changed"=>Step(17).output[:contents_changed],  
"current_request_id"=>nil,  
"current_timezone"=>"Europe/Berlin",  
"current_user_id"=>4,  
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Katello::Repository::ErrataMail

Input:

```
{"repo"=>3,  
"last_updated"=>"2020-11-04 09:02:09 +0100",  
"contents_changed"=>Step(17).output[:contents_changed],  
"current_request_id"=>nil,  
"current_timezone"=>"Europe/Berlin",  
"current_user_id"=>4,  
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Katello::Repository::ErrataMail

Input:

```
{"repo"=>3,  
"last_updated"=>"2020-11-04 09:02:09 +0100",  
"contents_changed"=>Step(17).output[:contents_changed],  
"current_request_id"=>nil,  
"current_timezone"=>"Europe/Berlin",  
"current_user_id"=>4,  
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

```
{}
```

Action:

Actions::Katello::Applicability::Repository::Regenerate

Input:

```
{"repo_id"=>3,  
"contents_changed"=>Step(17).output[:contents_changed],  
"current_request_id"=>nil,  
"current_timezone"=>"Europe/Berlin",  
"current_user_id"=>4,  
"current_organization_id"=>1,  
"current_location_id"=>2}
```

Output:

{}

Action:

Actions::Katello::Repository::Sync

Input:

```
{"repository"=>{"id"=>3, "name"=>"OL 7 - Latest", "label"=>"OL_7_-_Latest"},
"product"=>
  {"id"=>1,
   "name"=>"Oracle Linux",
   "label"=>"Oracle_Linux",
   "cp_id"=>"200614326096"},
"provider"=>{"id"=>1, "name"=>"Anonymous"},
"organization"=>{"id"=>1, "name"=>"Bechtle AG", "label"=>"Bechtle_AG"},
"services_checked"=>["pulp3"],
"id"=>3,
"sync_result"=>Step(17).output,
"skip_metadata_check"=>false,
"validate_contents"=>false,
"contents_changed"=>Step(17).output[:contents_changed],
"current_request_id"=>nil,
"current_timezone"=>"Europe/Berlin",
"current_user_id"=>4,
"current_organization_id"=>1,
"current_location_id"=>2}
```

Output:

{}

Action:

Actions::Katello::Repository::Sync

Input:

```
{"repository"=>{"id"=>3, "name"=>"OL 7 - Latest", "label"=>"OL_7_-_Latest"},
"product"=>
  {"id"=>1,
   "name"=>"Oracle Linux",
   "label"=>"Oracle_Linux",
   "cp_id"=>"200614326096"},
"provider"=>{"id"=>1, "name"=>"Anonymous"},
"organization"=>{"id"=>1, "name"=>"Bechtle AG", "label"=>"Bechtle_AG"},
"services_checked"=>["pulp3"],
"id"=>3,
"sync_result"=>Step(17).output,
"skip_metadata_check"=>false,
"validate_contents"=>false,
"contents_changed"=>Step(17).output[:contents_changed],
"current_request_id"=>nil,
"current_timezone"=>"Europe/Berlin",
"current_user_id"=>4,
"current_organization_id"=>1,
"current_location_id"=>2}
```

Output:

{}

Action:

Actions::Katello::Repository::ImportApplicability

Input:

```
{"repo_id"=>3,
"contents_changed"=>Step(17).output[:contents_changed],
"current_request_id"=>nil,
"current_timezone"=>"Europe/Berlin",
"current_user_id"=>4,
"current_organization_id"=>1,
"current_location_id"=>2}
```

Output:

{}